



**DURABLE
DEPENDABLE
STABLE**





MORE THAN JUST AN IDEA

At Concept Industries, our mission is to provide and build top quality bin solutions for the farmers we serve. Service and relationships are the core of how business is done at Concept. We strive to offer products at a fair price while maintaining quality.

WE BUILD BINS TO LAST

Concept bins are built with a 10-year structural warranty and a 5-year paint warranty. Our bin coating process creates a strong paint adhesion and results in a high quality protectant for your bin. This protectant also makes the bin easy to clean and increases product flow.

WHAT OUR CUSTOMERS ARE SAYING ABOUT CONCEPT BINS:

“

“For our farm, price was a factor and Concept Industries bins came in at least 15% lower than all other quotes. We noticed right away the quality of the build of these bins and heavy gauge of steel. When putting in your temperature cables, there was a noticeable difference felt walking on the roof from our other smooth wall bins. Our (Concept) bins were early in production and the attention to detail and workmanship was outstanding. Ladders are very comfortable and we really like the ring around the top of bin lid. From the sale to installation of the bin the service was great.”

- Nathan Friesen

”


“

“We were looking for 10,000 bushel corrugated hopper bins- the smooth walls bins were preferable for our farm and more affordable. We noticed right away the quality of Concept Industries bins was far superior to anything on the market.. The design and welds were much better than the other smooth wall bins we have on the farm. The bin design is very well thought out with attention to detail as the large hole on top make setting up the auger super easy. The adjustable crank being standard was an added bonus.”

- Jeff Calder

”

FEATURES & BENEFITS




WIDE BASE

Widest Skid Base on the Market



LIQUID PAINT

Better salt spray ratings and better edge protection for prevention of rust



SMOOTH FINISH

Smoother finish increases product flow keeping the inside of your bin clean

BENEFITS

- 10-year structural warranty with 5-year paint warranty
- All Concept bins come standard with an epoxy primer and a polyurethane top coat
- Fertilizer and Feed bins have interior epoxy
- Larger top opening
- Heavy duty bins

INDUSTRIAL GRADE LIQUID PAINT COATING

Concept offers a 3-step acid wash/clean specifically designed to prep the steel before paint for better adhesion. This product offers better salt spray ratings, advanced edge protection to prevent rust, and the smooth finish increases product flow keeping the inside of your bin clean.



COMMERCIAL & STEEP CONE BINS

FEATURES

- 27" Top opening with 29" spring loaded vented lid
- Constructed with minimum 10 + 12 guage steel
- Interior epoxy
- Ladder with safety grip
- 30" Clearance under bottom gate
- Stores up to 7500 bushels
- Adjustable rack and pinion slide gate assembly



STEEP CONE BINS

MODEL	BUSHEL	CUBIC FIT	BIN HEIGHT	MIN AUGER REQ.
-------	--------	-----------	------------	----------------

14' Diameter 35 Degree Roof 55 Degree Hopper

1405-55	1275	1529	21'5"	39"
1410-55	1925	2297	26'5"	53"
1415-55	2570	3065	31'5"	59"
1420-55	3220	3833	36'5"	66"
1425-55	3870	4601	41'5"	71"
1430-55	4520	5369	46'5"	81"

16' Diameter 35 Degree Roof 55 Degree Hopper

1605-55	1790	2141	23'6"	53"
1610-55	2635	3144	28'6"	53"
1615-55	3840	4147	33'6"	66"
1620-55	4330	5150	38'6"	66"
1625-55	5175	6153	43'6"	71"
1630-55	6020	7152	48'6"	81"

18' Diameter 35 Degree Roof 55 Degree Hopper

1805-55	2315	2761	25'8"	53"
1810-55	3390	4032	30'8"	53"
1815-55	4465	5303	35'8"	66"
1820-55	5535	6576	40'8"	66"
1825-55	6610	7850	45'8"	71"
1830-55	7680	9119	50'8"	81"

HOPPER CONES

DIAMETER	BUSHEL	HEIGHT
----------	--------	--------


40 Degree Hopper

18'	500	106"
21'	705	118"
24'	1050	130"

AIRPRO SYSTEM

Concept's Airpro system pushes the air directly into the hopper itself using a 360 degree duct inside of the hopper. The fan mounts directly onto the cone so no tube obstruction or material hang up.

Concept's Airpro provides the most efficient, clean and effective aeration system on the market.



AIRPRO GRAIN BINS

MODEL	BUSHELS	CUBIC FIT	IMPERIAL TONS	METRIC TONNES	BIN HEIGHT	MIN AUGER REQ.
16' Diameter 35 Degree Roof 40 Degree Hopper						
1615AP	3264	3840	119	108	29'2	51
1620AP	4119	4845	150	136	34'2	61
1625AP	4973	5851	181	165	39'2	71
1630AP	5828	6856	213	192	44'2	81
18' Diameter 35 Degree Roof 40 Degree Hopper						
1820AP	5324	6263	194	176	35'9	61
1825AP	6405	7536	234	212	40'9	71
1830AP	7488	8809	273	247	45'9	81

AIRPRO FERTILIZER BINS

MODEL	BUSHELS	CUBIC FIT	IMPERIAL TONS	METRIC TONNES	BIN HEIGHT	MIN AUGER REQ.
16' Diameter 35 Degree Roof 40 Degree Hopper						
1615APF	3264	3840	119	108	29'2	51
1620APF	4119	4845	150	136	34'2	61
1625APF	4973	5851	181	165	39'2	71
1630APF	5828	6856	213	192	44'2	81
18' Diameter 35 Degree Roof 40 Degree Hopper						
1820APF	5324	6263	194	176	35'9	61
1825APF	6405	7536	234	212	40'9	71
1830APF	7488	8809	273	247	45'9	81





Grain Bins

FEATURES

- 27" Top opening with 29" vented lid
- Constructed with minimum 10 + 12 guage steel
- Industrial grade liquid paint coating
- Ladder with safety grip
- Adjustable rack and pinion slide gate assembly
- 28" Clearance under bottom gate
- Stores up to 7500 bushels

GRAIN BINS

MODEL	BUSHEL	CUBIC FIT	IMPERIAL TONS	METRIC TONNES	BIN HEIGHT	MIN AUGER REQ.
14' Diameter 35 Degree Roof 45 Degree Hopper						
1405G	1171	1380	44	38	18'8	36
1410G	1826	2149	67	60	23'8	46
1415G	2841	2918	90	82	28'8	46
1420G	3135	3688	114	104	33'8	56
1425G	3789	4458	138	126	38'8	71
1430G	4443	5228	1162	148	43'8	81
16' Diameter 35 Degree Roof 40 Degree Hopper						
1605G	1556	1830	57	52	19'2	36
1610G	2410	2835	88	80	24'2	46
1615G	3264	3840	119	108	29'2	51
1620G	4119	4845	150	136	34'2	61
1625G	4973	5851	181	165	39'2	71
1630G	5828	6856	213	193	44'2	81
18' Diameter 35 Degree Roof 40 Degree Hopper						
1805G	2080	2447	75	70	20'9	41
1810G	3161	3719	115	105	25'9	46
1815G	4242	4991	155	140	30'9	51
1820G	5324	6263	194	176	35'9	61
1825G	6405	7536	234	212	40'9	71
1830G	7488	8809	273	247	45'9	81



Seed & Feed Bins

SEED BINS

MODEL	BUSHEL	CUBIC FT	IMPERIAL TONS	METRIC TONNES	BIN HEIGHT	MIN AUGER REQ.
14' Diameter 35 Degree Roof 45 Degree Hopper						
1405S	1171	1380	44	38	19'4"	36"
1410S	1826	2149	67	60	24'4"	46"
1415S	2841	2918	90	82	29'4"	46"
1420S	3135	3688	114	104	34'4"	56"
1425S	3789	4458	138	126	39'4"	71"
1430S	4443	5228	162	148	44'4"	81"
16' Diameter 35 Degree Roof 40 Degree Hopper						
1605S	1556	1830	57	52	19'10"	36"
1610S	2410	2835	88	80	24'10"	46"
1615S	3264	3840	119	108	29'10"	51"
1620S	4119	4845	150	136	34'10"	61"
1625S	4973	5851	181	165	39'10"	71"
1630S	5828	6856	213	193	44'10"	81"
18' Diameter 35 Degree Roof 40 Degree Hopper						
1805S	2080	2447	75	70	21'5"	41"
1810S	3161	3719	115	105	26'5"	46"
1815S	4242	4991	155	140	31'5"	51"
1820S	5324	6263	194	176	36'5"	61"
1825S	6405	7536	234	212	41'5"	71"
1830S	7488	8809	273	247	46'5"	81"

FEED BINS

MODEL	BUSHEL	CUBIC FT	IMPERIAL TONS	METRIC TONNES	BIN HEIGHT	NO. OF LEGS
7' Diameter 35 Degree Roof 55 Degree Hopper						
705	255	300	6	5.4	14'3"	4
710	419	492	9.9	8.9	19'3"	4
8' Diameter 35 Degree Roof 55 Degree Hopper						
805	335	442	6.9	8.1	14'6"	4
810	547	644	12.9	11.7	19'6"	4
815	759	895	22.9	16.2	24'6"	4
9' Diameter 35 Degree Roof 55 Degree Hopper						
905	441	520	10.5	9.4	15'6"	6
910	712	838	16.8	15.2	20'6"	6
915	712	838	16.8	15.2	20'6"	6
10' Diameter 35 Degree Roof 55 Degree Hopper						
1005	569	671	13.5	12.2	16'8"	6
1010	903	1063	21.3	19.3	21'8"	6
1015	1237	1455	29.1	26.4	26'8"	6
12' Diameter 35 Degree Roof 45 Degree Hopper						
1205	806	949	29	27	17'	6
1210	1287	1514	47	43	22'	6
1215	1768	2080	64	58	27'	6



OUR SEED BINS FEATURE A 36" DISCHARGE CLEARANCE



OUR FEED BINS FEATURE A 30" DISCHARGE CLEARANCE & INTERIOR EPOXY



DRY & LIQUID FERTILIZER BINS

DRY FERTILIZER BINS

MODEL	BUSHEL	CUBIC FIT	IMPERIAL TONS	METRIC TONNES	BIN HEIGHT	MIN AUGER REQ.
14' Diameter 35 Degree Roof 45 Degree Hopper						
1405F	1171	1380	44	38	18'8	36
1410F	1826	2149	67	60	23'8	46
1415F	2841	2918	90	82	28'8	46
1420F	3135	3688	114	104	33'8	56
1425F	3789	4458	138	126	38'8	71
1430F	4443	5228	1162	148	43'8	81
16' Diameter 35 Degree Roof 40 Degree Hopper						
1605F	1556	1830	57	52	19'2	36
1610F	2410	2835	88	80	24'2	46
1615F	3264	3840	119	108	29'2	51
1620F	4119	4845	150	136	34'2	61
1625F	4973	5851	181	165	39'2	71
1630F	5828	6856	213	193	44'2	81
18' Diameter 35 Degree Roof 40 Degree Hopper						
1805F	2080	2447	75	70	20'9	41
1810F	3161	3719	115	105	25'9	46
1815F	4242	4991	155	140	30'9	51
1820F	5324	6263	194	176	35'9	61
1825F	6405	7536	234	212	40'9	71
1830F	7488	8809	273	247	45'9	81

*All fertilizer bins come standard with stainless steel slide gate.



LIQUID FERTILIZER BINS

MODEL	CUBIC FT.	US GALLONS	IMPERIAL GALLONS	IMPERIAL TONNES	METRIC TONNES	BIN HEIGHT
16' Diameter 35 Degree Roof 40 Degree Hopper						
1615L	4840	28832	24000	144	130	28'11
1620L	4845	36378	30284	181	165	33'11
1625L	5851	43894	36551	218	200	38'11
1630L	6856	51415	42812	255	235	43'11



BENEFITS



**ENGINEERED TO STAND THE
TEST OF TIME**



**MANUFACTURED WITH CORROSION
RESISTANT 304L STAINLESS STEEL**
(316 option available)



**HOLLOW STEEL
STRUCTURE TUBING**



**NO REPAIR OR MAINTENANCE
DOWNTIME**



**NO ON-SITE PAINT OR
EPOXY TOUCH-UPS**



STAINLESS STEEL TANKS
Are designed for long
term storage in any conditions




CERTIFIED & AUDITED
By the Canadian Welding Bureau



SECURE STORAGE
Protects the environment

ACCESSORIES




Adjustable Rack & Pinion Slide Gate
Assembly. Available in Stainless Steel




Ladder Cage



Manway - Hopper




Rocket Air



Horizontal Removable Tube Air



LevAlert



Pokehole



Roof Manhole



Skid Base



View Glass



Bean Ladder



Fan Mount Bracket

STAINLESS STEEL TANKS

FEATURES

- Butt welded joints
- 24" manway
- 3" roof vent
- Reinforced stainless steel manways
- Standard 4" PVC suction couplers (at 90 degree angle)
- 3" PVC fill coupler (45 degree angle)
- 3/4" sight tube

DESIGNED TO OUTLAST ANYTHING ELSE ON
THE MARKET.



STAINLESS STEEL TANK SPECIFICATIONS

LIQUID TANKS

MODEL	US GALLONS	IMPERIAL GALLONS
1015	9000	7500
1020	11900	9900
1025	14800	12300
1115	10700	8900
1120	14335	11900
1125	17700	14700
1130	21100	17600
1135	24700	20600
1215	12700	10600
1220	17100	14200
1225	21600	18000
1230	25600	21300
1235	30000	25000
1420	23400	19500
1425	29400	24500
1430	35400	29500
1435	40800	34000
1440	46200	38500
1620	30600	25500
1625	38400	32000
1630	45600	38000
1635	53600	44600
1640	61100	50900





346 KIMBERLY RD.
WINKLER, MB R6W 0H7
P: 204-325-6960
WWW.CONCEPTINDLTD.COM