



Stainless Tender

-Uni-Body Side Discharge-



Standard Features Include:

- Integrated Stainless Steel D.O.T. Trailer
- 12 GA 304 Stainless Steel Tank, Hopper Conveyor, & Discharge Conveyor
 - 10" x 30' Conveyor, 15" wide all rubber belt with 150 ton/hr capacity
 - Enclosed conveyor belt return
- Without Self-Contained Hydraulic Power Pack - Requires 16 gal/min @ 2,700psi
 - 9" x 14" Manual Stainless Steel Slide Gates
 - Rear or Front Mounted Conveyor Controls
- Access ladder
- Poke Holes
- Steel Wheels





Optional Features Include:

- Wireless Hydraulic Remote Package
- Electric or Manual Roll Tarp
- Tank Split (shares one gate)
- Full Tank Split (includes two 9" x 14" gates)
- Electric Manual Control Box for Hydraulic Gates
- 12 Volt Electric Tank Vibrator
- Aluminum Wheels
- 37hp Kohler Self-Contained Hydraulic Power Pack
- 12" x 30' Conveyor, 18" wide all rubber belt with over 200 ton/hr capacity




ST933 Specs

4 Compartments - 933 cu/ft. - Dry weight of trailer 15,600 lbs.



ST1166 Specs

5 Compartments - 1,166 cu/ft. - Dry weight of trailer 18,800 lbs.





Stainless Tender

-Uni-Body Rear Discharge-



Standard Features Include:

- Integrated Stainless Steel D.O.T. Trailer
- 12 GA 304 Stainless Steel Tank, Hopper Conveyor, & Discharge Conveyor
- 12"x 23'7" Conveyor, 22" wide all rubber belt with 350 ton/hr capacity
- Without Self-Contained Hydraulic Power Pack - Requires 16 gal/min @ 2,700psi
- 10-1/2" x 16" Manual Stainless Steel Slide Gates
- Rear or Front Mounted Conveyor Controls
- Enclosed conveyor belt return
- Reversing Underbin Conveyor
- Air Ride Suspension
- Access ladder
- Poke Holes
- Steel Wheels





**Up to
350 TPH**

Optional Features Include:

- Split Hoppers
- Aluminum Wheels
- Electric or Manual Roll Tarp
- 12 Volt Electric Tank Vibrator
- Wireless Hydraulic Remote Package
- Hydraulic Operated Stainless Steel Slide Gates
- Electric Manual Control Box for Hydraulic Gates
- 37hp Kohler Self-Contained Hydraulic Power Pack

ST900 Specs


2 Compartments - 900 cu/ft. - Dry weight of trailer 13,700 lbs.



Stainless Steel Slide Gate



Electric Tank Vibrator



Reversing Underbin Conveyor

